SEQUENCE LISTING

<110> Shultz, John W
 Lewis, Martin K
 Leippe, Donna
 Mandrekar, Michelle
 Kephart, Daniel
 Rhodes, Richard B
 Andrews, Christine A
 Hartnett, James R
 Gu, Trent
 Wood, Keith V
 Welch, Roy

<120> EXOGENOUS NUCLEIC ACID DETECTION

<130> EXOGENOUS NUCLEIC ACID DETECTION

<140> NOT YET ASSIGNED

<141> 1999-09~27

<150> 09/252,436

<151> 1999~02-18

<150> 09/042,287

<151> 1998-03-13

<160> 92

<170> PatentIn Ver. 2.0

```
<211> 74
<212> DNA
<213> Cytomegalovirus
<400> 1
cgcttctacc acgaatgctc gcagaccatg ctgcacgaat acgtcagaaa gaacgtggag 60
cgtctgttgg agct
                                                                   74
<210> 2
<211> 74
<212> DNA
<213> Cytomegalovirus
<400> 2
ccaacagacg ctccacgttc tttctgacgt attcgtgcag catggtctgc gagcattcgt 60
ggtagaagcg agct
                                                                   74
<210> 3
<211> 74
<212> DNA
<213> mutant Cytomegalovirus
<400> 3
cgcttctacc acgaatgctc gcagatcatg ctgcacgaat acgtcagaaa gaacgtggag 60
cgtctgttgg agct
                                                                   74
<210> 4
<211> 74
<212> DNA
<213> mutant Cytomegalovirus
<400> 4
```

11.

| ccaacagac | g ctccacgttc | tttctgacgt | attcgtgcag | catgatctgc | gagcattcgt | 60 |
|---------------|--------------|------------|------------|------------|------------|----|
| ggtagaagc | g agct | | | | | 74 |
| | | | | | | |
| <210> 5 | | | | | | |
| <211> 21 | | | | | | |
| <212> DNA | | | | | | |
| <213> Cyto | megalovirus | | | | | |
| | | | | | | |
| <400> 5 | | | | | | |
| ctaccacgaa | ı tgctcgcaga | С | | | | 21 |
| | | | | | | |
| <210> 6 | | | | | | |
| <211> 21 | | | | | | |
| <212> DNA | | | | | | |
| <213> Cyto | megalovirus | | | | | |
| | | | | | | |
| <400> 6 | | | | | | |
| ctaccacgaa | tgctcgcaga | t | | | | 21 |
| | | | | | | |
| <210> 7 | | | | | | |
| <211> 21 | | | | | | |
| <212> DNA | | | | | | |
| <213> Cyto | megalovirus | | | | | |
| | | | | | | |
| <400> 7 | | | | | | |
| tgacgtattc | gtgcagcatg | g | | | | 21 |
| | | | | | | |
| <210> 8 | | | | | | |
| <211> 21 | | | | | | |
| <212> DNA | | | | | | |
| -213 - Ctrt-0 | megalowizug | | | | | |

" and "

<212> DNA

| <400> 8 | |
|---|----|
| tgacgtattc gtgcagcatg a | 21 |
| <210> 9 | |
| <211> 70 | |
| <212> DNA | |
| <213> Listeria | |
| <400> 9 | |
| gaagtaaaac aaactacaca agcaactaca cctgcgccta aagtagcaga aacgaaagaa | 60 |
| actccagtag | 70 |
| | |
| <210> 10 | |
| <211> 70 | |
| <212> DNA | |
| <213> Listeria | |
| | |
| <400> 10 | |
| ctactggagt ttctttcgtt tctgctactt taggcgcagg tgtagttgct tgtgtagttt | 60 |
| gttttacttc | 70 |
| <210> 11 | |
| <211> 30 | |
| <212> DNA | |
| <213> Listeria | |
| | |
| <400> 11 | |
| gcaactacac ctgcgcctaa agtagcagaa | 30 |
| | |
| <210> 12 | |
| <211> 30 | |
| | |

| <213> Listeria | |
|---|-----|
| <400> 12 | |
| ttctgctact ttaggcgcag gtgtagttcg | 3 0 |
| <210> 13 | |
| <211> 70 | |
| <212> DNA | |
| <213> Listeria | |
| <400> 13 | |
| catcgacggc aacctcggag acttacgaga tattttgaaa aaaggcgcta cttttaatcg | 60 |
| agaaacacca | 70 |
| <210> 14 | |
| <211> 70 | |
| <212> DNA | |
| <213> Listeria | |
| <400> 14 | |
| tggtgtttct cgattaaaag tagcgccttt tttcaaaata tctcgtaagt ctccgaggtt | 60 |
| gccgtcgatg | 70 |
| <210> 15 | |
| <211> 30 | |
| <212> DNA | |
| <213> Listeria | |
| <400> 15 | |
| ctcggagact tacgagatat tttgaaaaaa | 30 |

```
<211> 30
<212> DNA
<213> Listeria
<400> 16
ttttttcaaa atatctcgta agtctccgag
                                                                   30
<210> 17
<211> 60
<212> DNA
<213> Salmonella
<400> 17
tttaattccg gagcctgtgt aatgaaagaa atcaccgtca ctgaacctgc ctttgtcacc 60
<210> 18
<211> 60
<212> DNA
<213> Salmonella
<400> 18
ggtgacaaag gcaggttcag tgacggtgat ttctttcatt acacaggctc cggaattaaa 60
<210> 19
<211> 30
<212> DNA
<213> Salmonella
<400> 19
tgtgtaatga aagaaatcac cgtcactgaa
                                                                   30
```

| <211> 30 | |
|---|----|
| <212> DNA | |
| <213> Salmonella | |
| | |
| <400> 20 | |
| ttcagtgacg gtgatttctt tcattacaca | 30 |
| | |
| <210> 21 | |
| <211> 24 | |
| <212> DNA | |
| <213> kanamycin RNA oligo | |
| | |
| <400> 21 | |
| gcaacgctac ctttgccatg tttc | 24 |
| | |
| <210> 22 | |
| <211> 24 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> Description of Artificial Sequence: PROBE FOR | |
| KANAMYCIN RNA, ALTERED AT 3' TERMINUS | |
| | |
| <400> 22 | |
| gcaacgctac ctttgccatg tttg | 24 |
| | |
| <210> 23 | |
| <211> 24 | |
| <212> DNA | |
| <213> Artificial Sequence | |

<213> rabbit

| <220> | |
|--|----|
| <223> Description of Artificial Sequence: PROBE TO | |
| KANAMYCIN RNA, ALTERED AT 3' TERMINUS | |
| | |
| <400> 23 | |
| gcaacgctac ctttgccatg ttta | 24 |
| | |
| <210> 24 | |
| <211> 24 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> Description of Artificial Sequence: PROBE TO | |
| KANAMYCIN RNA, ALTERED AT 3' TERMINUS | |
| | |
| <400> 24 | |
| gcaacgctac ctttgccatg tttt | 24 |
| | |
| <210> 25 | |
| <211> 30 | |
| <212> DNA | |
| <213> rabbit | |
| | |
| <400> 25 | |
| atggtgcatc tgtccagtga ggagaagtct | 30 |
| | |
| <210> 26 | |
| <211> 30 | |
| ~212\ DNA | |

| <400> 26 | |
|----------------------------------|----|
| agacttctcc tcactggaca gatgcaccat | 30 |
| <210> 27 | |
| <211> 26 | |
| <212> DNA | |
| <213> rabbit | |
| | |
| <400> 27 | |
| gctgctggtt gtctacccat ggaccc | 26 |
| | |
| <210> 28 | |
| <211> 26 | |
| <212> DNA | |
| <213> rabbit | |
| | |
| <400> 28 | |
| gggtccatgg gtagacaacc agcagc | 26 |
| <210> 29 | |
| <211> 30 | |
| <212> DNA | |
| <213> Escherichia coli | |
| | |
| <400> 29 | |
| cagtcacgac gttgtaaaac gacggccagt | 30 |
| | |
| <210> 30 | |
| <211> 30 | |
| <212> DNA | |
| <213> Escherichia coli | |

| <400> 30 | |
|---|----|
| actggccgtc gttttacaac gtcgtgactg | 30 |
| <210> 31 | |
| <211> 75 | |
| <212> DNA | |
| <213> Campylobacter jejuni | |
| | |
| <400> 31 | |
| cttgaagcat agttcttgtt tttaaacttt gtccatcttg agccgcttga gttgagttgc | 60 |
| cttagtttta atagt | 75 |
| | |
| <210> 32 | |
| <211> 30 | |
| <212> DNA | |
| <213> Campylobacter jejuni | |
| | |
| <400> 32 | |
| agttcttgtt tttaaacttt gtccatcttg | 30 |
| <210> 33 | |
| <211> 70 | |
| <212> DNA | |
| <213> Campylobacter jejuni | |
| | |
| <400> 33 | |
| actattaaaa ctaaggcaac tcaagcggct caagatggac aaagtttaaa aacaagaact | 60 |
| atgcttcaag | 70 |
| | |
| <210> 34 | |
| <211> 30 | |
| <212> DNA | |

| <213> Campylobacter jejuni | |
|---|----|
| <400> 34 caagatggac aaagtttaaa aacaagaact | |
| caayatyyat aaaytttaaa aacaayaact | 30 |
| <210> 35 | |
| <211> 21 | |
| <212> DNA | |
| <213> Cytomegalovirus | |
| 400 07 | |
| <400> 35 | |
| cactttgata ttacacccat g | 21 |
| <210> 36 | |
| <211> 21 | |
| <212> DNA | |
| <213> Cytomegalovirus | |
| | |
| <400> 36 | |
| cactttgata ttacacccgt g | 21 |
| | |
| <210> 37 | |
| <211> 65 | |
| <212> DNA | |
| <213> Cytomegalovirus | |
| <400> 37 | |
| cgtgtatgcc actttgatat tacacccatg aacgtgctca tcgacgtgaa cccgcacaac | 60 |
| gaget | 65 |
| | |
| <210> 38 | |
| <211> 65 | |

| <212> | DNA | | | | | |
|--------|-----------------|------------|------------|------------|------------|----|
| <213> | Cytomegalovirus | | | | | |
| | | | | | | |
| <400> | 38 | | | | | |
| cgttgt | gcgg gttcacgtcg | atgagcacgt | tcatgggtgt | aatatcaaag | tggcatacac | 60 |
| gagct | | | | | | 65 |
| | | | | | | |
| <210> | 39 | | | | | |
| <211> | 65 | | | | | |
| <212> | DNA | | | | | |
| <213> | Cytomegalovirus | | | | | |
| | | | | | | |
| <400> | 39 | | | | | |
| cgtgta | tgcc actttgatat | tacacccgtg | aacgtgctca | tcgacgtgaa | cccgcacaac | 60 |
| gagct | | | | | | 65 |
| | | | | | | |
| <210> | 40 | | | | | |
| <211> | 65 | | | | | |
| <212> | DNA | | | | | |
| <213> | Cytomegalovirus | | | | | |
| | | | | | | |
| <400> | 40 | | | | | |
| cgttgt | gegg gtteaegteg | atgagcacgt | tcacgggtgt | aatatcaaag | tggcatacac | 60 |
| gagct | | | | | | 65 |
| | | | | | | |
| <210> | 41 | | | | | |
| <211> | 26 | | | | | |
| <212> | DNA | | | | | |
| <213> | Cytomegalovirus | | | | | |
| | | | | | | |
| <400> | 41 | | | | | |
| tcacac | agga aacagctatg | accatg | | | | 26 |

```
<210> 42
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: M13 FORWARD
      PROBE
<400> 42
gcaaggcgat taagttgggt aacg
                                                                   24
<210> 43
<211> 40
<212> DNA
<213> Hepatitis C virus
<400> 43
ctgctagccg agtagtgttg ggtcgcgaaa ggccttgtgg
                                                                   40
<210> 44
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: 35S PROMOTER
      PCR PRIMER
<400> 44
gatagtggga ttgtgcgtca
                                                                   20
```

```
<210> 45
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: 35S PROMOTER
      PCR PRIMER
<400> 45
gctcctacaa atgccatca
                                                                   19
<210> 46
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: NOS TERMINATOR
<400> 46
ttatcctagt ttgcgcgcta
                                                                   20
<210> 47
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: NOS TERMINATOE
```

PCR PRIMER

```
<400> 47
gaatcctgct gccggtcttg
                                                                    20
<210> 48
<211> 15
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: 35S PROBE
<400> 48
gcaagtggat tgatg
                                                                    15
<210> 49
<211> 17
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: 35S PROBE
<400> 49
ccaaccacgt cttcaaa
                                                                    17
<210> 50
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
```

| <223> Description of Artificial Sequence: NOS PROBE | |
|---|-----|
| <400> 50 | |
| tttatgagat gggttt | 16 |
| 210 51 | |
| <210> 51 <211> 15 | |
| <211> 15 <212> DNA | |
| <213> Artificial Sequence | |
| V210/ Altificial begacine | |
| <220> | |
| <223> Description of Artificial Sequence: NOS probe | |
| | |
| <400> 51 | |
| atgattagag tcccg | 15 |
| | |
| <210> 52 | |
| <211> 16 | |
| <212> DNA | |
| <213> Human immunodeficiency virus | |
| | |
| <400> 52 | 1.0 |
| ccatttagta ctgtct | 16 |
| <210> 53 | |
| <211> 16 | |
| <212> DNA | |
| <213> Human immunodeficiency virus | |
| | |
| <400> 53 | |
| ccatttagta ctgttt | 16 |

| <210> | 54 | |
|-------|------------------------------|----|
| <211> | 16 | |
| <212> | DNA | |
| <213> | Human immunodeficiency virus | |
| | | |
| <400> | 54 | |
| ctagt | ttct ccattt | 16 |
| | | |
| <210> | 55 | |
| <211> | 16 | |
| <212> | DNA | |
| <213> | Human immunodeficiency virus | |
| | | |
| <400> | 55 | |
| ctagt | tttct ccatct | 16 |
| | | |
| <210> | | |
| <211> | | |
| <212> | | |
| <213> | Human immunodeficiency virus | |
| <400> | 56 | |
| | | 16 |
| ttete | tgaaa totaot | 10 |
| <210> | 57 | |
| <211> | | |
| <212> | | |
| | Human immunodeficiency virus | |
| -210/ | | |
| <400> | 57 | |
| | tgaaa tctatt | 16 |
| | - J | |

| <210> 58 | |
|--|----|
| <211> 50 | |
| <212> DNA | |
| <213> Human immunodeficiency virus | |
| | |
| <400> 58 | |
| aaaaaagaca gtactaaatg gagaaacta gtagatttca gagaacttaa | 50 |
| | |
| <210> 59 | |
| <211> 50 | |
| <212> DNA | |
| <213> Human immunodeficiency virus | |
| | |
| <400> 59 | |
| aaaaaaaaca gtactaaatg gagaaaacta gtagatttca gagaacttaa | 50 |
| | |
| <210> 60 | |
| <211> 50 | |
| <212> DNA | |
| <213> Human immunodeficiency virus | |
| <400> 60 | |
| aaaaaagaca gtactagatg gagaaaacta gtagatttca gagaacttaa | F0 |
| adadaayada gtactayatg yayadaadta gtayattida gagaacttaa | 50 |
| <210> 61 | |
| <211> 50 | |
| <212> DNA | |
| <213> Human immunodeficiency virus | |
| - - | |
| <400> 61 | |
| aaaaaagaca gtactaaatg gagaaaacta atagatttca gagaacttaa | 50 |

| <210> 62 | 2 | | |
|-----------------|---|----|--|
| <211> 13 | 1 | | |
| <212> Dī | AN | | |
| <213> Ht | uman immunodeficiency virus | | |
| | | | |
| <400> 6 | 2 | | |
| agtgactggg g 11 | | | |
| | | | |
| <210> 6 | 3 | | |
| <211> 2 | 9 | | |
| <212> D | NA . | | |
| <213> A | rtificial Sequence | | |
| | | | |
| <220> | | | |
| <223> D | Description of Artificial Sequence: probe which | | |
| f | forms hairpin when allowed to self-anneal | | |
| | | | |
| <400> 6 | 53 | | |
| atgaacg | gtac gtcggatgag cacgttcat | 29 | |
| | | | |
| <210> 6 | 54 | | |
| <211> 2 | 29 | | |
| <212> I | DNA | | |
| <213> 1 | Artificial Sequence | | |
| | | | |
| <220> | | | |
| <223> 1 | Description of Artificial Sequence: probe which | | |
| : | forms hairpin when allowed to self-anneal | | |
| | | | |
| <400> | 64 | | |
| gtgaac | gtac gtcggatgag cacgttcat | 29 | |

```
<210> 65
<211> 29
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: probe which
      forms hairpin when allowed to self-anneal
<400> 65
                                                                   29
ataaacgtac gtcggatgag cacgttcat
<210> 66
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: probe which
      forms hairpin when allowed to self-anneal
<400> 66
                                                                    24
ataaacgtac gtcggatgag cacg
<210> 67
<211> 62
<212> DNA
<213> Artificial Sequence
<220>
 <223> Description of Artificial Sequence: synthetic
       target sequence
```

<211> 16

<400> 67 cccggagaga cctccttaag gggccatatt atttcgtcga ttccagtgtt ggccaaacgg 60 <210> 68 <211> 41 <212> DNA <213> Artificial Sequence <220> <223> Description of Artificial Sequence: synthetic target sequence <400> 68 ggggccatat tatttcgccg tttggccaac actggaatcg a 41 <210> 69 <211> 77 <212> DNA <213> Artificial Sequence <220> <223> Description of Artificial Sequence: synthetic target sequence <400> 69 ggggccatat tatttcgccg tttggccaac actggaatcg acgaaataat atggcccctt 60 77 aaggaggtct ctccggg <210> 70

```
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: synthetic
      target sequence
<400> 70
                                                                   16
cccggagaga cctcct
<210> 71
<211> 77
<212> DNA
<213> Artificial Sequence
<220>
 <223> Description of Artificial Sequence: synthetic
       target sequence
 <400> 71
 cccggagaga cctccttaag gggccatatt atttcgtcga ttccagtgtt ggccaaacgg 60
                                                                    77
 cgaaataata tggcccc
 <210> 72
 <211> 65
 <212> DNA
 <213> Cytomegalovirus
 <400> 72
 cgtgtatgcc actttgatat tacacccatg aacgtgctca tcgacgtcaa cccgcacaac 60
                                                                    65
 gagct
```

```
<210> 73
<211> 65
<212> DNA
<213> Cytomegalovirus
<400> 73
cgttgtgcgg gttcacgtcg atgagcacgt tcatgggtgt aatatcaaag tggcatacac 60
                                                                   65
gagct
<210> 74
<211> 65
<212> DNA
<213> Cytomegalovirus
<400> 74
cgtgtatgcc actttgatat tacacccgtg aacgtgctca tcgacgtcaa cccgcacaac 60
gagct
 <210> 75
 <211> 65
 <212> DNA
 <213> Cytomegalovirus
 cgttgtgcgg gttcacgtcg atgagcacgt tcacgggtgt aatatcaaag tggcatacac 60
                                                                    65
 gagct
 <210> 76
 <211> 89
 <212> DNA
 <213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: probe to
      wild-type targets 10870 and 10994
<400> 76
gaactatatt gtctttctct gattctgact cgtcatgtct cagctttagt ttaatacgac 60
                                                                   89
tcactatagg gctcagtgtg attccacct
<210> 77
<211> 53
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: wild-type
      target
<400> 77
ttgcagagaa agacaatata gttcttggag aaggtggaat cacactgagt gga
                                                                   53
<210> 78
<211> 53
<212> DNA
<213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: mutant target
 <400> 78
 ttgcagagaa agacaatata gttctttgag aaggtggaat cacactgagt gga
```

<211> 22 <212> DNA <213> Artificial Sequence <220> <223> Description of Artificial Sequence: probe which hydridizes to only to wild-type target <400> 79 22 ctcagtgtga ttccacttca cc <210> 80 <211> 23 <212> DNA <213> Artificial Sequence <220> <223> Description of Artificial Sequence: probe which hydridizes only to mutant target <400> 80 23 ctcagtgtga ttccaccttc aca <210> 81 <211> 23 <212> DNA <213> Artificial Sequence <220> <223> Description of Artificial Sequence: probe which hydridizes to 10870 and 10994

<211> 24

| <400> 81 | |
|---|------|
| ctaaagctga gacatgacga gtc | 23 |
| <210> 82 | |
| <211> 65 | |
| <212> DNA | |
| <213> Cytomegalovirus | |
| <400> 82 | |
| cgttgtgcgg gttcacgtcg atgagcacgt tcatgggtgt aatatcaaag tggcatacac | 60 |
| gaget | 65 |
| | |
| <210> 83 | |
| <211> 65 | |
| <212> DNA | |
| <213> Cytomegalovirus | |
| | |
| <400> 83 | |
| cgtgtatgcc actttgatat tacacccgtg aacgtgctca tcgacgtgaa cccgcacaac | : 60 |
| gagct | 65 |
| | |
| <210> 84 | |
| <211> 65 | |
| <212> DNA | |
| <213> Cytomegalovirus | |
| | |
| <400> 84 | |
| cgttgtgcgg gttcacgtcg atgagcacgt tcacgggtgt aatatcaaag tggcataca | c 60 |
| gaget | 65 |
| | |
| <210> 85 | |

```
<212> DNA
<213> kanamycin
<400> 85
                                                                   24
gcaacgctac ctttgccatg tttc
<210> 86
<211> 12
<212> DNA
<213> Homo sapiens
<400> 86
                                                                    12
ccagacgcct ca
<210> 87
<211> 12
<212> DNA
<213> Homo sapiens
<400> 87
                                                                    12
accttcacgc ca
<210> 88
<211> 11
<212> DNA
<213> Unknown
<220>
<223> Description of Unknown Organism:common probe to
       cytochrome B
```

<400> 88

| tgccgagacg t | 11 |
|-----------------|----|
| <210> 89 | |
| <211> 12 | |
| <212> DNA | |
| <213> chicken | |
| <400> 89 | |
| gcagacacat cc | 12 |
| <210> 90 | |
| <211> 12 | |
| <212> DNA | |
| <213> chicken | |
| <400> 90 | |
| ggaatctcca cg | 12 |
| <210> 91 | |
| <211> 12 | |
| <212> DNA | |
| <213> Bos sp. | |
| <400> 91 | |
| acatacacgc aa | 12 |
| <210> 92 | |
| <211> 12 | |
| <212> DNA | |
| <213> Canis sp. | |
| <400> 92 | |

atatgeaege aa 12

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

) Shultz et al. Applicant: Attorney Docket:) PRO-105.0 DIV I Serial No.: Not Yet Assigned 6868/81579 Div of 09/406,147 February 9, 2001 Filed: Art Group: Not yet assigned EXOGENOUS NUCLEIC For: ACID DETECTION Not Yet Assigned Examiner:

STATEMENT UNDER 37 C.F.R. 1.821(e) and (f)

Commissioner for Patents Washington, D.C. 20231 Attn: Box Sequence

sir:

The present application is a division of allowed U.S. Patent Application Serial No. 09/406,167, filed September 27, 1999. The Sequence Listing filed herewith is a true copy of the Sequence Listing previously filed for Application Serial No. 09/406,167, and thus the Sequence Listings are identical.

Pursuant to 37 C.F.R. 1.821(e), a computer readable form (CRF) of the Sequence Listing for the subject new divisional patent application may be provided through reference to the CRF filed in the previous case, allowed

U.S. Patent Application Serial No. 09/406,167, filed September 27, 1999.

The Sequence Listing on the previously-filed CRF is ASCII output from PatentIn version 2.0, created 9/27/99 in PatentIn v. 2.0 on a Windows 95/PC compatible computer. The Sequence Listing file "PRO105.app" was copied onto that diskette 9/27/99. The content of the paper copy of the Sequence Listing enclosed herewith is the same as the content of the previously filed computer readable form of the Sequence Listing.

Respectfully submitted,

Shannon L. Nebolsky Reg. No. 41,217

Welsh & Katz, Ltd. 120 South Riverside Plaza 22nd Floor Chicago, Illinois 60606 (312) 655-1500

CERTIFICATE OF EXPRESS MAILING

I hereby certify that this Statement under 37 C.F.R. 1.821(e) together with the Preliminary Amendment and its stated enclosures is being deposited with the United States Postal Service with Express Mailing Label No. EL769849422US in an envelope addressed to: Commissioner for Patents, Washington D.C. 20231 on February 9, 2001.

word. Valer